


## DELTA KITS RESIN COMPARISON CHART

All Delta Kits professional grade windshield repair resins provide unparalleled performance. Every proprietary formulation undergoes exhaustive laboratory and field testing to ensure Delta Kits Resins exceed industry standards.

	INJECTION RESINS						PIT FILLER RESINS			PLATE GLASS RESIN
	MagniBond	ProBond 5040	ProBond 5060	ProBond 5010	ProBond AF (Acid Free)	Premium Bond 20	Premium Bond 3000	Premium Pit Plus	Premium Pit	Premium Plate Glass
<b>Available Sizes:</b>										
7ml							30260	30280	30290	
15ml	30001	30011	30021	30031	30061	30081	30261	30281	30291	30271
30ml (2-15ml bottles)	30002					30082				
One-Shot Syringe	30003									
250ml	30008	30018	30028	30038	30068	30088	30268	30288	30298	
Liter	30009	30019	30029	30039	30069	30089	30269	30289	30299	30279
<b>Types of Breaks:</b>										
SM Bull's-eye	X	X	X	X	X	X				
LG Bull's-eye	X	X	X			X				
SM Combination	X	X	X	X	X	X				
LG Combination	X	X	X			X				
Star Break	X	X		X	X	X				
Short Cracks	X			X		X				
Long Cracks	X					X				
Plate Glass Repair							X	X		X
LG Pits & Pit Capping							X	X	X	X
Nominal Viscosity	18cps	43cps	55cps	11cps	11cps	20cps	3000cps	3600cps	1900cps	3600cps
Toxicity	Low	Low	Low	Low	Ultra Low	Low	Low	Low	Low	Low
Recommended Temp.	All	Above 40° F	Above 60° F	Below 100° F	Below 100° F	All	All	Above 50° F	Below 100° F	Above 50° F
Optical Clarity	Outstanding	Outstanding	Outstanding	Outstanding	Outstanding	Outstanding	Outstanding	Outstanding	Outstanding	Outstanding
Bonding Strength	Exceptional	Exceptional	Exceptional	Exceptional	Excellent	Exceptional	Exceptional	Exceptional	Exceptional	Exceptional
Curing Speed	Fast	Fast	Fast	Fast	Fast	Ultra Fast	Ultra Fast	Fast	Fast	Fast
Elasticity	Excellent	Excellent	Excellent	Excellent	Very Good	Exceptional	Good	Good	Good	Good
Shore Hardness	D75	D75	D80	D75	D70	D70	D85	D80	D75	D80